


PISCO STANDARD SERIES PUSH-IN FITTINGS

	SPECIFICATIONS <small>*PLEASE CONSULT THE CATALOG FOR MORE INFORMATION</small>	
	RATED FOR (MEDIUM): AIR & WATER*	RATED FOR (PRESSURE): PRESSURE & VACUUM
	MAX OPERATING PRESSURE: 150 PSI	MAX VACUUM: -29.54 IN HG
TEMPERATURE RANGE: -32-140° F	MATERIAL: POLYRESIN BODY, NICKEL--PLATED BRASS THREADS	

PISCO STANDARD SERIES PUSH-IN FITTINGS - STRAIGHT

TUBE O.D.	INCH SIZES				
	THREAD SIZE				
	10-32 UNF	1/8" NPT	1/4" NPT	3/8" NPT	1/2" NPT
5/32"	PC5/32-U10U	PC5/32-N1U	PC5/32-N2U	X	X
1/4"	PC1/4-U10U	PC1/4-N1U	PC1/4-N2U	PC1/4-N3U	X
5/16"	X	PC5/16-N1U	PC5/16-N2U	PC5/16-N3U	X
3/8"	X	PC3/8-N1U	PC3/8-N2U	PC3/8-N3U	PC3/8-N4U
1/2"	X	X	PC1/2-N2U	PC1/2-N3U	PC1/2-N4U

TUBE O.D.	METRIC SIZES				
	THREAD SIZE				
	M5	1/8" R	1/4" R	3/8" R	1/2" R
4MM	PC4-M5	PC4-01	PC4-02	X	X
6MM	PC6-M5	PC6-01	PC6-02	PC6-03	X
8MM	X	PC8-01	PC8-02	PC8-03	X
10MM	X	PC10-01	PC10-02	PC10-03	PC10-04
12MM	X	X	PC12-02	PC12-03	PC12-04

FITTINGS NOT IN STOCK MUST BE PURCHASED IN BAGS OF 10

OTHER VERSIONS OF THESE PARTS MAY BE AVAILABLE. PLEASE CONSULT THE FULL CATALOG FOR MORE INFO

PART NUMBERS IN BLACK ARE NORMALLY STOCK AT FLOTRONICS. PART NUMBERS IN GRAY NORMALLY HAVE 3-5 DAY LEAD TIME

PISCO STANDARD SERIES PUSH-IN FITTINGS - ELBOW

		INCH SIZES				
TUBE O.D.	THREAD SIZE					
	10-32 UNF	1/8" NPT	1/4" NPT	3/8" NPT	1/2" NPT	
5/32"	PL5/32-U10U	PL5/32-N1U	PL5/32-N2U	X	X	
1/4"	PL1/4-U10U	PL1/4-N1U	PL1/4-N2U	PL1/4-N3U	X	
5/16"	X	PL5/16-N1U	PL5/16-N2U	PL5/16-N3U	X	
3/8"	X	PL3/8-N1U	PL3/8-N2U	PL3/8-N3U	PL3/8-N4U	
1/2"	X	X	PL1/2-N2U	PL1/2-N3U	PL1/2-N4U	

		METRIC SIZES				
TUBE O.D.	THREAD SIZE					
	M5	1/8" R	1/4" R	3/8" R	1/2" R	
4MM	PL4-M5	PL4-01	PL4-02	X	X	
6MM	PL6-M5	PL6-01	PL6-02	PL6-03	X	
8MM	X	PL8-01	PL8-02	PL8-03	X	
10MM	X	PL10-01	PL10-02	PL10-03	PL10-04	
12MM	X	X	PL12-02	PL12-03	PL12-04	

PISCO STANDARD SERIES PUSH-IN FITTINGS - UNION

		INCH SIZES
TUBE O.D.	PART NUMBER	
5/32"	PU5/32	
1/4"	PU1/4	
5/16"	PU5/16	
3/8"	PU3/8	
1/2"	PU1/2	



		METRIC SIZES
TUBE O.D.	PART NUMBER	
4MM	PU4	
6MM	PU6	
8MM	PU8	
10MM	PU10	
12MM	PU12	

FITTINGS NOT IN STOCK MUST BE PURCHASED IN BAGS OF 10



OTHER VERSIONS OF THESE PARTS MAY BE AVAILABLE. PLEASE CONSULT THE FULL CATALOG FOR MORE INFO

PART NUMBERS IN BLACK ARE NORMALLY STOCK AT FLOTRONICS. PART NUMBERS IN GRAY NORMALLY HAVE 3-5 DAY LEAD TIME

PISCO STANDARD SERIES PUSH-IN FITTINGS - UNION TEE

		INCH SIZES	
	TUBE O.D.	PART NUMBER	
	5/32"	PE5/32	
	1/4"	PE1/4	
	5/16"	PE5/16	
	3/8"	PE3/8	
	1/2"	PE1/2	
			METRIC SIZES
	TUBE O.D.	PART NUMBER	
	4MM	PE4	
	6MM	PE6	
	8MM	PE8	
	10MM	PE10	
	12MM	PE12	

PISCO STANDARD SERIES PUSH-IN FITTINGS - UNION "Y"

		INCH SIZES	
	TUBE O.D.	PART NUMBER	
	5/32"	PY5/32	
	1/4"	PY1/4	
	5/16"	PY5/16	
	3/8"	PY3/8	
	1/2"	PY1/2	
			METRIC SIZES
	TUBE O.D.	PART NUMBER	
	4MM	PY4	
	6MM	PY6	
	8MM	PY8	
	10MM	PY10	
	12MM	PY12	

FITTINGS NOT IN STOCK MUST BE PURCHASED IN BAGS OF 10

OTHER VERSIONS OF THESE PARTS MAY BE AVAILABLE. PLEASE CONSULT THE FULL CATALOG FOR MORE INFO

PART NUMBERS IN BLACK ARE NORMALLY STOCK AT FLOTRONICS. PART NUMBERS IN GRAY NORMALLY HAVE 3-5 DAY LEAD TIME

PISCO STANDARD SERIES PUSH-IN FITTINGS - MALE BRANCH "Y"

TUBE O.D.	INCH SIZES				
	THREAD SIZE				
	10-32 UNF	1/8" NPT	1/4" NPT	3/8" NPT	1/2" NPT
5/32"	PX5/32-U10U	PX5/32-N1U	PX5/32-N2U	X	X
1/4"	X	PX1/4-N1U	PX1/4-N2U	PX1/4-N3U	X
5/16"	X	PX5/16-N1U	PX5/16-N2U	PX5/16-N3U	X
3/8"	X	PX3/8-N1U	PX3/8-N2U	PX3/8-N3U	PX3/8-N4U
1/2"	X	X	PX1/2-N2U	PX1/2-N3U	PX1/2-N4U

TUBE O.D.	METRIC SIZES				
	THREAD SIZE				
	M5	1/8" R	1/4" R	3/8" R	1/2" R
4MM	PX4-M5	PX4-01	PX4-02	X	X
6MM	PX6-M5	PX6-01	PX6-02	PX6-03	X
8MM	X	PX8-01	PX8-02	PX8-03	X
10MM	X	PX10-01	PX10-02	PX10-03	PX10-04
12MM	X	X	PX12-02	PX12-03	PX12-04

PISCO STANDARD SERIES PUSH-IN FITTINGS - MALE RUN TEE

TUBE O.D.	INCH SIZES				
	THREAD SIZE				
	10-32 UNF	1/8" NPT	1/4" NPT	3/8" NPT	1/2" NPT
5/32"	PD5/32-U10U	PD5/32-N1U	PD5/32-N2U	X	X
1/4"	PD1/4-U10U	PD1/4-N1U	PD1/4-N2U	PD1/4-N3U	X
5/16"	X	PD5/16-N1U	PD5/16-N2U	PD5/16-N3U	X
3/8"	X	PD3/8-N1U	PD3/8-N2U	PD3/8-N3U	PD3/8-N4U
1/2"	X	X	PD1/2-N2U	PD1/2-N3U	PD1/2-N4U

TUBE O.D.	METRIC SIZES				
	THREAD SIZE				
	M5	1/8" R	1/4" R	3/8" R	1/2" R
4MM	PD4-M5	PD4-01	PD4-02	X	X
6MM	PD6-M5	PD6-01	PD6-02	PD6-03	X
8MM	X	PD8-01	PD8-02	PD8-03	X
10MM	X	PD10-01	PD10-02	PD10-03	PD10-04
12MM	X	X	PD12-02	PD12-03	PD12-04

FITTINGS NOT IN STOCK MUST BE PURCHASED IN BAGS OF 10

OTHER VERSIONS OF THESE PARTS MAY BE AVAILABLE. PLEASE CONSULT THE FULL CATALOG FOR MORE INFO

PART NUMBERS IN BLACK ARE NORMALLY STOCK AT FLOTRONICS. PART NUMBERS IN GRAY NORMALLY HAVE 3-5 DAY LEAD TIME

PISCO STANDARD SERIES PUSH-IN FITTINGS - UNION BULKHEAD (FIXED)

INCH SIZES	
TUBE O.D.	PART NUMBER
5/32"	PMP5/32
1/4"	PMP1/4
5/16"	PMP5/16
3/8"	PMP3/8
1/2"	PMP1/2

METRIC SIZES	
TUBE O.D.	PART NUMBER
4MM	PMP4
6MM	PMP6
8MM	PMP8
10MM	PMP10
12MM	PMP12



PISCO STANDARD SERIES PUSH-IN FITTINGS - PLUG-IN REDUCER

INCH SIZES					
TUBE O.D. (FEMALE END)	TUBE O.D. (MALE END)				
	5/32"	1/4"	5/16"	3/8"	1/2"
5/32"	X	PGJ1/4-5/32	PGJ5/16-5/32	X	X
1/4"	PGJ1/4-5/32	X	PGJ5/16-1/4	PGJ3/8-1/4	PGJ1/2-1/4
5/16"	PGJ5/16-5/32	PGJ5/16-1/4	X	PGJ3/8-5/16	PGJ1/2-5/16
3/8"	X	PGJ3/8-1/4	PGJ3/8-5/16	X	PGJ1/2-3/8
1/2"	X	PGJ1/2-1/4	PGJ1/2-5/16	PGJ1/2-3/8	X

METRIC SIZES					
TUBE O.D. (FEMALE END)	TUBE O.D. (MALE END)				
	4MM	6MM	8MM	10MM	12MM
4MM	X	PGJ4-6	X	X	X
6MM	PGJ6-4	X	PGJ6-8	X	X
8MM	PGJ8-4	PGJ8-6	X	PGJ8-10	X
10MM	X	PGJ10-6	PGJ10-8	X	PGJ10-12
12MM	X	PGJ12-6	PGJ12-8	PGJ12-10	X



FITTINGS NOT IN STOCK MUST BE PURCHASED IN BAGS OF 10

OTHER VERSIONS OF THESE PARTS MAY BE AVAILABLE. PLEASE CONSULT THE FULL CATALOG FOR MORE INFO

PART NUMBERS IN BLACK ARE NORMALLY STOCK AT FLOTRONICS. PART NUMBERS IN GRAY NORMALLY HAVE 3-5 DAY LEAD TIME

PISCO STANDARD SERIES PUSH-IN FITTINGS - PLUG

INCH SIZES	
TUBE O.D.	PART NUMBER
5/32"	PP5/32
1/4"	PP1/4
5/16"	PP5/16
3/8"	PP3/8
1/2"	PP1/2

METRIC SIZES	
TUBE O.D.	PART NUMBER
4MM	PP4
6MM	PP6
8MM	PP8
10MM	PP10
12MM	PP12

FITTINGS NOT IN STOCK MUST BE PURCHASED IN BAGS OF 10
 OTHER VERSIONS OF THESE PARTS MAY BE AVAILABLE. PLEASE CONSULT THE FULL CATALOG FOR MORE INFO
 PART NUMBERS IN BLACK ARE NORMALLY STOCK AT FLOTRONICS. PART NUMBERS IN GRAY NORMALLY HAVE 3-5 DAY LEAD TIME

Flotronics Automation offers other versions also. Contact us for more information

				
INNER HEX (POC)	FEMALE STRAIGHT (PCF)	BRANCH TEE (PB)	SINGLE BANJO (PH)	DOUBLE TWIN BANJO (PAW)
				
UNION STEM (PIJ)	BULKHEAD FEMALE (PMF)	EXTENDED ELBOW (PLL)	DOUBLE TWIN BANJO (PAW)	MANIFOLD FITTING (PKG)

PISCO STANDARD SERIES PUSH-IN FLOW CONTROLS



SPECIFICATIONS	
*PLEASE CONSULT THE CATALOG FOR MORE INFORMATION	
RATED FOR (MEDIUM): AIR & WATER*	RATED FOR (PRESSURE): PRESSURE & VACUUM
MAX OPERATING PRESSURE: 150 PSI	MAX VACUUM: -29.54 IN HG
TEMPERATURE RANGE: -32-140° F	MATERIAL: POLYRESIN BODY, NICKEL--PLATED BRASS THREADS

PISCO JSC SERIES PUSH-IN FLOW CONTROLS - RIGHT ANGLE, METER OUT, KNOB ADJUST



INCH SIZES					
TUBE O.D.	THREAD SIZE				
	10-32 UNF	1/8" NPT	1/4" NPT	3/8" NPT	1/2" NPT
5/32"	JSC5/32-U10AU	JSC5/32-N1AU	X	X	X
1/4"	JSC1/4-U10AU	JSC1/4-N1AU	JSC1/4-N2AU	JSC1/4-N3AU	X
5/16"	X	JSC5/16-N1AU	JSC5/16-N2AU	JSC5/16-N3AU	JSC5/16-N4AU
3/8"	X	X	JSC3/8-N2AU	JSC3/8-N3AU	JSC3/8-N4AU
1/2"	X	X	X	JSC1/2-N3AU	JSC1/2-N4AU

METRIC SIZES					
TUBE O.D.	THREAD SIZE				
	M5	1/8" R	1/4" R	3/8" R	1/2" R
4MM	JSC4-M5A	JSC4-01A	X	X	X
6MM	JSC6-M5A	JSC6-01A	JSC6-02A	JSC6-03A	X
8MM	X	JSC8-01A	JSC8-02A	JSC8-03A	JSC8-04A
10MM	X	X	JSC10-02A	JSC10-03A	JSC10-04A
12MM	X	X	X	JSC12-03A	JSC12-04A



FITTINGS NOT IN STOCK MUST BE PURCHASED IN BAGS OF 10

OTHER VERSIONS OF THESE PARTS MAY BE AVAILABLE. PLEASE CONSULT THE FULL CATALOG FOR MORE INFO

PART NUMBERS IN BLACK ARE NORMALLY STOCK AT FLOTRONICS. PART NUMBERS IN GRAY NORMALLY HAVE 3-5 DAY LEAD TIME

PISCO JSMU SERIES PUSH-IN FLOW CONTROLS - INLINE, KNOB ADJUST

INCH SIZES	
TUBE O.D.	PART NUMBER
5/32"	JSMU5/32
1/4"	JSMU1/4
5/16"	JSMU5/16
3/8"	JSMU3/8
1/2"	JSMU1/2

METRIC SIZES	
TUBE O.D.	PART NUMBER
4MM	JSMU4
6MM	JSMU6
8MM	JSMU8
10MM	JSMU10
12MM	JSMU12



OTHER VERSIONS OF THESE PARTS MAY BE AVAILABLE. PLEASE CONSULT THE FULL CATALOG FOR MORE INFO
PART NUMBERS IN BLACK ARE NORMALLY STOCK AT FLOTRONICS. PART NUMBERS IN GRAY NORMALLY HAVE 3-5 DAY LEAD TIME

Flotronics Automation offers other versions also. Contact us for more information



SPEED CONTROL WITH INDICATOR



RECESSED SCREW FLOW CONTROL




2-STAGE SPEED CONTROL





ORIFICE FITTING CONSTANT FLOW FITTING


AVENTICS THREADED FLOW CONTROLS

	SPECIFICATIONS <small>*PLEASE CONSULT THE CATALOG FOR MORE INFORMATION</small>	
	RATED FOR (MEDIUM): AIR	MAX OPERATING PRESSURE: 175 PSI
	TEMPERATURE RANGE: 0-160° F	MATERIAL: ANODIZED ALUMINUM BODY, STAINLESS STEEL SCREW

AVENTICS FCR SERIES FLOW CONTROLS - RIGHT ANGLE, METER OUT, SCREWDRIVER ADJUST


	THREAD SIZE (NPT FEMALE/MALE)				
	10-32 UNF	1/8" NPT	1/4" NPT	3/8" NPT	1/2" NPT
	0FCRN	1FCRN	2FCRN	3FCRN	4FCRN
	THREAD SIZE (BSPP FEMALE/MALE)				
	M5	1/8" BSPP	1/4" BSPP	3/8" BSPP	1/2" BSPP
	0FCRG	1FCRG	2FCRG	3FCRG	4FCRG

AVENTICS FC SERIES FLOW CONTROLS - INLINE, SCREWDRIVER ADJUST



	BODY SIZE	THREAD SIZE (NPT FEMALE/MALE)				
		1/8" NPT	1/4" NPT	3/8" NPT	1/2" NPT	3/4" NPT
	FC1	1FC1	2FC1	X	X	X
	FC2	X	2FC2	3FC2	X	X
FC3	X	X	3FC3	4FC3	5FC3	
	BODY SIZE	THREAD SIZE (BSPP FEMALE/MALE)				
		1/8" BSPP	1/4" BSPP	3/8" BSPP	1/2" BSPP	3/4" BSPP
	FC1	1FC1G	2FC1G	X	X	X
	FC2	X	2FC2G	3FC2G	X	X
	FC3	X	X	3FC3G	4FC3G	5FC3G

OTHER VERSIONS OF THESE PARTS MAY BE AVAILABLE. PLEASE CONSULT THE FULL CATALOG FOR MORE INFO
PART NUMBERS IN BLACK ARE NORMALLY STOCK AT FLOTRONICS. PART NUMBERS IN GRAY NORMALLY HAVE 3-5 DAY LEAD TIME

AVENTICS SEV SERIES QUICK EXHAUST VALVES

	SPECIFICATIONS *PLEASE CONSULT THE CATALOG FOR MORE INFORMATION	
	RATED FOR (MEDIUM): AIR	PRESSURE RANGE: 3.9-145 PSI
	TEMPERATURE RANGE: -40-165° F	CRACKING PRESSURE: 3.9 PSI

AVENTICS SEV SERIES QUICK EXHAUST VALVES


	THREAD SIZE (NPT)				
	1/8" NPT	1/4" NPT	3/8" NPT	1/2" NPT	3/4" NPT
	SEV10CN	SEV25CN	SEV38CN	SEV50CN	SEV75CN

OTHER VERSIONS OF THESE PARTS MAY BE AVAILABLE. PLEASE CONSULT THE FULL CATALOG FOR MORE INFO
 PART NUMBERS IN BLACK ARE NORMALLY STOCK AT FLOTRONICS. PART NUMBERS IN GRAY NORMALLY HAVE 3-5 DAY LEAD TIME


AVENTICS SEV SERIES QUICK EXHAUST VALVES DIMENSIONS

Dimensional Drawings - SEV Quick Exhaust Valve







Ports NPTF	SEV_BN	A	B	C	D	E
1/8	SEV10CN	1/8	1.30	1.10	1.65	0.55
1/4	SEV25CN	1/4	1.58	1.30	2.05	0.71
3/8	SEV38CN	3/8	1.70	1.30	2.16	0.75
1/2	SEV50CN	1/2	2.17	1.69	2.80	1.06
3/4	SEV75CN	3/4	2.45	1.93	3.55	1.42



FLOFLEX STANDARD SERIES BRASS FITTINGS

	SPECIFICATIONS <small>*PLEASE CONSULT THE CATALOG FOR MORE INFORMATION</small>	
	MATERIAL: C37700 BRASS ALLOY	OPERATING TEMP: -65-250° F
	MAX OPERATING PRESSURE: 250 PSI	USES: AIR, VACUUM, GAS, CHEMICALS*, NON-POTABLE WATER & STEAM







FLOFLEX STANDARD SERIES BRASS FITTINGS

	NPT FEMALE ELBOW					
	THREAD SIZE					
	1/8" NPT	1/4" NPT	3/8" NPT	1/2" NPT	3/4" NPT	
	100-N1	100-N2	100-N3	100-N4	100-N5	
	NPT FEMALE TEE					
	THREAD SIZE					
	1/8" NPT	1/4" NPT	3/8" NPT	1/2" NPT	3/4" NPT	
	101-N1	101-N2	101-N3	101-N4	101-N5	
	NPT FEMALE COUPLING					
	THREAD SIZE					
	1/8" NPT	1/4" NPT	3/8" NPT	1/2" NPT	3/4" NPT	
	103-N1	103-N2	103-N3	103-N4	103-N5	
	NPT COUNTER-SUNK PLUG					
	THREAD SIZE					
	1/8" NPT	1/4" NPT	3/8" NPT	1/2" NPT	3/4" NPT	
	109-N1	109-N2	109-N3	109-N4	109-N5	
	NPT COUNTER-SUNK PLUG					
	INNER THREAD SIZE	OUTER THREAD SIZE				
		1/8" NPT	1/4" NPT	3/8" NPT	1/2" NPT	3/4" NPT
	1/8" NPT	X	110-N1-N2	110-N1-N3	110-N1-N4	110-N1-N5
	1/4" NPT	X	X	110-N2-N3	110-N2-N4	110-N2-N5
	3/8" NPT	X	X	X	110-N3-N4	110-N3-N5
1/2" NPT	X	X	X	X	110-N4-N5	
	NPT CLOSE NIPPLE					
	THREAD SIZE					
	1/8" NPT	1/4" NPT	3/8" NPT	1/2" NPT	3/4" NPT	
	112-N1	112-N2	112-N3	112-N4	112-N5	



OTHER VERSIONS OF THESE PARTS MAY BE AVAILABLE. PLEASE CONSULT THE FULL CATALOG FOR MORE INFO
PART NUMBERS IN BLACK ARE NORMALLY STOCK AT FLOTRONICS. PART NUMBERS IN GRAY NORMALLY HAVE 3-5 DAY LEAD TIME







FLOFLEX STANDARD SERIES BRASS FITTINGS

	NPT STREET ELBOW					
	THREAD SIZE					
	1/8" NPT	1/4" NPT	3/8" NPT	1/2" NPT	3/4" NPT	
	116-N1	116-N2	116-N3	116-N4	116-N5	
	NPT REDUCING COUPLING					
	FIRST THREAD SIZE	SECOND THREAD SIZE				
		1/8" NPT	1/4" NPT	3/8" NPT	1/2" NPT	3/4" NPT
	1/8" NPT	X	119-N1-N2	119-N1-N3	119-N1-N3	X
	1/4" NPT	X	X	119-N2-N3	119-N2-N4	X
	3/8" NPT	X	X	X	119-N3-N4	X
1/2" NPT	X	X	X	X	119-N4-N5	
	NPT SHORT EXTENSION					
	THREAD SIZE (FEMALE/MALE)					
	1/8" NPT	1/4" NPT	3/8" NPT	1/2" NPT	3/4" NPT	
	120-N1	120-N2	120-N3	120-N4	X	
	NPT REDUCING ADAPTER					
	MALE THREAD SIZE	FEMALE THREAD SIZE				
		1/8" NPT	1/4" NPT	3/8" NPT	1/2" NPT	3/4" NPT
	1/8" NPT	X	120-N1-N2	120-N1-N2	X	X
	1/4" NPT	X	X	120-N2-N3	120-N2-N4	X
	3/8" NPT	X	X	X	120-N3-N4	X
1/2" NPT	X	X	X	X	120-N4-N5	
	NPT HEX NIPPLE					
	THREAD SIZE					
	1/8" NPT	1/4" NPT	3/8" NPT	1/2" NPT	3/4" NPT	
	122-N1	122-N2	122-N3	122-N4	122-N5	
	NPT REDUCING HEX NIPPLE					
	MALE THREAD SIZE	MALE THREAD SIZE				
		1/8" NPT	1/4" NPT	3/8" NPT	1/2" NPT	3/4" NPT
	1/8" NPT	X	123-N1-N2	123-N1-N3	X	X
	1/4" NPT	X	X	123-N2-N3	123-N2-N4	X
	3/8" NPT	X	X	X	123-N3-N4	X
1/2" NPT	X	X	X	X	123-N4-N5	



OTHER VERSIONS OF THESE PARTS MAY BE AVAILABLE. PLEASE CONSULT THE FULL CATALOG FOR MORE INFO
PART NUMBERS IN BLACK ARE NORMALLY STOCK AT FLOTRONICS. PART NUMBERS IN GRAY NORMALLY HAVE 3-5 DAY LEAD TIME







FLOFLEX STANDARD SERIES BRASS FITTINGS

	NPT STREET ELBOW					
	THREAD SIZE					
	1/8" NPT	1/4" NPT	3/8" NPT	1/2" NPT	3/4" NPT	
	116-N1	116-N2	116-N3	116-N4	116-N5	
	NPT REDUCING COUPLING					
	FIRST THREAD SIZE	SECOND THREAD SIZE				
		1/8" NPT	1/4" NPT	3/8" NPT	1/2" NPT	3/4" NPT
	1/8" NPT	X	119-N1-N2	119-N1-N3	119-N1-N3	X
	1/4" NPT	X	X	119-N2-N3	119-N2-N4	X
3/8" NPT	X	X	X	119-N3-N4	X	
1/2" NPT	X	X	X	X	119-N4-N5	
	NPT SHORT EXTENSION					
	THREAD SIZE (FEMALE/MALE)					
	1/8" NPT	1/4" NPT	3/8" NPT	1/2" NPT	3/4" NPT	
	120-N1	120-N2	120-N3	120-N4	X	
	NPT REDUCING ADAPTER					
	MALE THREAD SIZE	FEMALE THREAD SIZE				
		1/8" NPT	1/4" NPT	3/8" NPT	1/2" NPT	3/4" NPT
	1/8" NPT	X	120-N1-N2	120-N1-N2	X	X
	1/4" NPT	X	X	120-N2-N3	120-N2-N4	X
3/8" NPT	X	X	X	120-N3-N4	X	
1/2" NPT	X	X	X	X	120-N4-N5	
	NPT HEX NIPPLE					
	THREAD SIZE					
	1/8" NPT	1/4" NPT	3/8" NPT	1/2" NPT	3/4" NPT	
	122-N1	122-N2	122-N3	122-N4	122-N5	
	NPT REDUCING HEX NIPPLE					
	MALE THREAD SIZE	MALE THREAD SIZE				
		1/8" NPT	1/4" NPT	3/8" NPT	1/2" NPT	3/4" NPT
	1/8" NPT	X	123-N1-N2	123-N1-N3	X	X
	1/4" NPT	X	X	123-N2-N3	123-N2-N4	X
3/8" NPT	X	X	X	123-N3-N4	X	
1/2" NPT	X	X	X	X	123-N4-N5	



OTHER VERSIONS OF THESE PARTS MAY BE AVAILABLE. PLEASE CONSULT THE FULL CATALOG FOR MORE INFO
PART NUMBERS IN BLACK ARE NORMALLY STOCK AT FLOTRONICS. PART NUMBERS IN GRAY NORMALLY HAVE 3-5 DAY LEAD TIME

FLOFLEX STANDARD SERIES BRASS FITTINGS

	NPT STREET TEE					
		THREAD SIZE (FEMALE/MALE)				
	1/8" NPT	1/4" NPT	3/8" NPT	1/2" NPT	3/4" NPT	
	127-N1	127-N2	127-N3	127-N4	X	
	NPT BULKHEAD					
		INTERNAL THREAD SIZE				
	1/8" NPT	1/4" NPT	1/4" NPT (SHORT)	3/8" NPT	1/2" NPT	
	129-N1	129-N2	129-N2S	129-N3	129-N4	
	BSPT HEX NIPPLE					
		THREAD SIZE				
	1/8" BSPT	1/4" BSPT	3/8" BSPT	1/2" BSPT	3/4" BSPT	
	122-PT1	122-PT2	122-PT3	122-PT4	122-PT5	
	FNPT X MBSPT ADAPTER					
	FEMALE THREAD SIZE	MALE THREAD SIZE				
		1/8" BSPT	1/4" BSPT	3/8" BSPT	1/2" BSPT	3/4" BSPT
	1/8" NPT	120-N1-PT1	X	X	X	X
	1/4" NPT	X	120-N2-PT2	X	X	X
	3/8" NPT	X	X	120-N3-PT3	X	X
	1/2" NPT	X	X	X	120-N4-PT4	X
1/2" NPT	X	X	X	X	123-N5-N5	
	FNPT X MBSPT ADAPTER					
	FEMALE THREAD SIZE	MALE THREAD SIZE				
		1/8" NPT	1/4" NPT	3/8" NPT	1/2" NPT	3/4" NPT
	1/8" BSPP	120-G1-N1	X	X	X	X
	1/4" BSPP	X	120-G2-N2	X	X	X
	3/8" BSPP	X	X	120-G3-N3	X	X
	1/2" BSPP	X	X	X	120-G4-N4	X
3/4" BSPP	X	X	X	X	120-G5-N5	
	45° NPT STREET ELBOW					
		THREAD SIZE (FEMALE/MALE)				
		1/8" NPT	1/4" NPT	3/8" NPT	1/2" NPT	3/4" NPT
	124-N1	124-N2	124-N3	124-N4	124-N5	



OTHER VERSIONS OF THESE PARTS MAY BE AVAILABLE. PLEASE CONSULT THE FULL CATALOG FOR MORE INFO
PART NUMBERS IN BLACK ARE NORMALLY STOCK AT FLOTRONICS. PART NUMBERS IN GRAY NORMALLY HAVE 3-5 DAY LEAD TIME